

**Date of Issue:** November 2010

**Affected Publication:** API Specification 6D/ISO 14313, *Specification for Pipeline Valves*, 23rd Edition, April 2008

## ERRATA 5

(Includes Errata 1, Errata 2, Errata 3, and Errata 4)

*These errata correct editorial errors in the 23rd Edition of API Spec 6D.*

*Page 2, Section 3, Normative references, replace:*

ASME B16.5-1996, *Pipe Flanges and Flanged Fittings : NPS 1/2 through 24*

*with*

ASME B16.5-2003, *Pipe Flanges and Flanged Fitting: NPS 1/2 through 24*

*and*

ASME B31.8-2003, *Gas Transmission and Distribution Piping Systems*

*with*

ASME B31.8-2007, *Gas Transmission and Distribution Piping Systems*

*Page 3, Section 3, Normative references, replace:*

ASME Boiler and Pressure Vessel Code — Section VIII: *Rules for Construction of Pressure Vessels Division 2: Alternative Rules*

*with*

ASME Boiler and Pressure Vessel Code — Section VIII: *Rules for Construction of Pressure Vessels — Division 2-2004: Alternative Rules*

*Page 34, Table 4, under subheading “PN 50 (class 300),” for “DN 150 (NPS 6):”*

*replace the value of “457” in the column “**Raised face (A)**” with “403” such that the line reads:*

150	6	403	457	419	—	—	—
-----	---	-----	-----	-----	---	---	---

*Page 36, Table 4, under subheading “PN 420 (class 2500),” line for “DN 65 (NPS 2<sup>1</sup>/<sub>2</sub>):”*

*replace the value of “540” in the column “**Ring joint**” with “514” such that the line reads:*

65	2 <sup>1</sup> / <sub>2</sub>	508	508	514
----	-------------------------------	-----	-----	-----

*Page 41, Section 7.7.2, replace:*

ASME B31.8-2003

*with*

ASME B31.8-2007

*and*

Figures 14 and 15

*with*

Figures I-4 and I-5

*Page 45, Section 7.20.2, second sentence, replace:*

ASME Code Section VIII, Division 2, Part AD-132

*with*

ASME Code Section VIII, Division 2-2004, Part AD-132

*Page 49, Section 9.3, Note, delete:*

by agreement

*Page 49, Section 9.4, second paragraph, second sentence, add:*

“pipe pups to valve” after “Repairs of fabrication welds”

*On page 51, withdraw:*

**Section 10.2.3.2 Gauge range**

*Renumber:*

**10.2.3.3** (from Addendum 1) as **10.2.3.2**

*Page 63, Section B.3.3, replace:*

0,55 MPa ± 00,7 MPa

*with*

0,55 MPa ± 0,07 MPa

*On page 64, add to the end of Section B.4.2*

“Acceptance criteria shall be per the requirements of 11.4.3”

*On page 66, add to the end of Section B.10*

“Acceptance criteria shall be per the requirements of 11.4.3”

*On page 66, add to the end of Section B.11*

“Acceptance criteria shall be per the requirements of 11.4.3”

*On page 66, add to the end of Section B.12*

“Acceptance criteria shall be per the requirements of 11.4.3”

*Page 71, Table D.1, beginning of last box, replace:*

Other requirements

*with*

**Other requirements**

*Page 71, Table D.1, after “ISO 15156 (all parts)? Yes \_\_\_ No \_\_\_” add the following line:*

If yes, specify % mass fraction of H<sub>2</sub>S \_\_\_; pH \_\_\_; % mass fraction of chlorides \_\_\_; temperature \_\_\_